






**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**



**FIG. 7**




**FIG. 8**







**FIG. 9**



**FIG. 10**




**FIG. 11A**




**FIG. 11B**

FIG. 11B is a schematic diagram of a curved structure, possibly a flexible display or a mechanical arm, showing a sequence of segments and a central pivot point. The structure is composed of several rectangular segments labeled A, B, C, D, E, F, and G, which are arranged in a curved path. Segment A is at the bottom left, followed by B, C, D, E, F, and G, which are arranged in a curved path. A central pivot point is marked with a black dot, and a dashed line 138 indicates a curved path or axis of rotation passing through this point. A solid line 131 is shown on the left, and a dashed line 132 is shown on the right. A curved line 136 is also present, passing through the pivot point. A label 134 points to the right side of the structure, and a label 133 points to the left side of the structure.


**FIG. 12**



**FIG. 13**



**FIG. 14**



**FIG. 15**









FIG. 16




**FIG. 17**




**FIG. 18**




**FIG. 19**




**FIG. 20**




**FIG. 21**




**FIG. 22**



**FIG. 23**




**FIG. 24**





**FIG. 25**



**FIG. 26**

